

EX. MAIL NO.: EL 501 639 779 US

| | | | | | | | | |
|--|----------------|---|----------|---------|------------------|-----------------|---------------------------|----|
| LIST OF REFERENCES CITED BY APPLICANT <i>(Use several sheets if necessary)</i> | | | | | ATTY. DOCKET NO. | APPLICATION NO. | | |
| | | | | | 7853-240 | To Be Assigned | | |
| | | | | | APPLICANT | | | |
| | | | | | Kroczek | | | |
| FILING DATE | GROUP | | | | | | | |
| Herewith | To Be Assigned | | | | | | | |
| U.S. PATENT DOCUMENTS | | | | | | | | |
| EXAMINER INITIAL | | DOCUMENT NUMBER | DATE | NAME | CLASS | SUBCLASS | FILING DATE # APPROPRIATE | |
| | | | | | | | | |
| FOREIGN PATENT DOCUMENTS | | | | | | | | |
| | | DOCUMENT NUMBER | DATE | COUNTRY | CLASS | SUBCLASS | TRANSLATION | |
| | | | | | | | YES | NO |
| JNL | AA | WO 99/15553 | 04/01/99 | PCT | | | | |
| JNL | AB | WO 98/38216 | 09/03/98 | PCT | | | | |
| JNL | AC | WO 90/04180 | 04/19/90 | PCT | | | | |
| JNL | AD | WO 89/10398 | 11/02/89 | PCT | | | | |
| OTHER REFERENCES (Including Author, Title, Date, Pertinent Pages, Etc.) | | | | | | | | |
| JNL | AE | Barbey et al., 1990, "DEL cell line: a "malignant histiocytosis" CD30+ t(5;6)(q35;p21) cell line." Int J Cancer. 45(3):546-53 | | | | | | |
| | AF | Buonfiglio et al., 1999, "Characterization of a novel human surface molecule selectively expressed by mature thymocytes, activated T cells and subsets of T cell lymphomas", Eur. J. Immunol. 29:2863-2874 | | | | | | |
| | AG | Buonfiglio et al., 2000, "The T cell activation molecule H4 and the CD28-like molecule ICOS are identical", Eur. J. Immunol. 30:3463-3467 | | | | | | |
| | AH | Chambers and Allison, 1997, "Co-stimulation in T cell responses." Curr Opin Immunol. 9(3):396-404. Review | | | | | | |
| | AI | Chirgwin et al., 1979, "Isolation of biologically active ribonucleic acid from sources enriched in ribonuclease." Biochemistry. 18(24):5294-9 | | | | | | |
| | AJ | Fischer et al., 1988, "A Ki-1 (CD30)-positive human cell line (Karpas 299) established from a high-grade non-Hodgkin's lymphoma, showing a 2;5 translocation and rearrangement of the T-cell receptor beta-chain gene." Blood. 72(1):234-40 | | | | | | |
| | AK | Freeman et al., 1993, "Cloning of B7-2: a CTLA-4 counter-receptor that costimulates human T cell proliferation." Science. 262(5135):909-11 | | | | | | |
| | AL | Greenfield et al., 1998, "CD28/B7 costimulation: a review", Crit. Rev. Immunol. 18:389-418 | | | | | | |
| | AM | Groettrup et al., 1996, "A third interferon-gamma-induced subunit exchange in the 20S proteasome." Eur J Immunol. 26(4):863-9 | | | | | | |
| | AN | Hara et al., 1985, "Human T cell activation. II. A new activation pathway used by a major T cell population via a disulfide-bonded dimer of a 44 kilodalton polypeptide (9.3 antigen). J Exp Med. 161(6):1513-24 | | | | | | |
| | AO | Kirk et al., 1997, "CTLA4-Ig and anti-CD40 ligand prevent renal allograft rejection in primates. Proc Natl Acad Sci U S A. 94(16):8789-94 | | | | | | |
| | AP | Kohler and Milstein, 1975, "Continuous cultures of fused cells secreting antibody of predefined specificity." Nature. 256(5517):495-7 | | | | | | |
| JNL | AQ | Krocze RA., 1993, "Southern and northern analysis." J Chromatogr. 618(1-2):133-45. Review | | | | | | |

| | | |
|-----|----|--|
| JRL | AR | Lanier et al., 1995, "CD80 (B7) and CD86 (B70) provide similar costimulatory signals for T cell proliferation, cytokine production, and generation of CTL." <i>J Immunol.</i> 154(1):97-105 |
| | AS | Lenschow et al., 1996, "CD28/B7 system of T cell costimulation", <i>Annu. Rev. Immunol.</i> 14:233-258 |
| | AT | Linsley et al., 1992, "Coexpression and functional cooperation of CTLA-4 and CD28 on activated T lymphocytes." <i>J Exp Med.</i> 176(6):1595-604 |
| | AU | Lucas et al., 1995, "Naive CD28-deficient T cells can initiate but not sustain an in vitro antigen-specific immune response." <i>J Immunol.</i> 154(11):5757-68 |
| | AV | Nishioka et al., 1994, "The role of CD40-CD40 ligand interaction in human T cell-B cell collaboration." <i>J Immunol.</i> 153(3):1027-36 |
| | AW | Redoglia et al. 1996, "Characterization of H4: a mouse T lymphocyte activation molecule functionally associated with the CD3/T cell receptor", <i>Eur. J. Immunol.</i> 26:2781-2789 |
| | AX | Riley et al., 1997, "Intrinsic resistance to T cell infection with HIV type 1 induced by CD28 costimulation." <i>J Immunol.</i> 158(11):5545-53 |
| | AY | Schneider et al., 1982, "A one-step purification of membrane proteins using a high efficiency immunomatrix. <i>J Biol Chem.</i> 257(18):10766-9 |
| | AZ | Shahinian et al., 1993, "Differential T cell costimulatory requirements in CD28-deficient mice." <i>Science.</i> 261(5121):609-12 |
| | BA | Vogeli and Kaytes, 1987, "Amplification, storage, and replication of libraries." <i>Methods Enzymol.</i> 152:407-15 |
| | BB | Wallace and Miyada, 1987, "Oligonucleotide probes for the screening of recombinant DNA libraries." <i>Methods Enzymol.</i> 152:432-42 |
| | BC | Westermeier, 1997, "A Guide to Methods and Applications of DNA and Protein Separations." <i>Electrophoresis in Practice</i> , VCH Verlagsgesellschaft, Weinheim, pages 167 - 181 and 224 - 229 |
| JRL | BD | Wozney, 1990, "Using purified protein to clone its gene." <i>Methods Enzymol.</i> 182:738-51 |

EXAMINER

DATE CONSIDERED

5/30/03

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.